



PHOSPHORUS METABOLIC PRIMER



GUARANTEED ANALYSIS

Total Nitrogen (N)2%
 Soluable Potash(K₂O).....3%



WHY **TurfRx Xpect** ?

TurfRx Xpect is a phosphorus metabolic primer that contains key L-amino acids.

ROOT DEVELOPMENT

Specific L-amino acids and improve lateral root branching, root growth, and overall soil health.

PHOSPHORUS NUTRITION

TurfRx Xpect increases plant phosphorus uptake. **TurfRx Xpect** contains no phosphorus.

The unique formulation of **TurfRx Xpect** is the new standard for root/stolon development where phosphorus restrictions exist.

PRODUCT USAGE

Root Development	Apply 0.75-4 oz./1000 ft ² (2.4-12.7 L/Ha) as a soil application every 1 to 4 weeks. Water in.
Plant Nutrition	Apply 0.75-4 oz./1000 ft ² (2.4-12.7 L/Ha) as a soil application every 1 to 4 weeks. Water in.
Grow-in	Apply 0.75-4 oz./1000 ft ² (2.4-12.7 L/Ha) as a soil application every 1 to 4 weeks. Water in.
Aerification	Apply 0.75-4 oz./1000 ft ² (2.4-12.7 L/Ha) as a foliar/soil application prior to aerification and repeat post-aerification. Water in.



PHOSPHORUS METABOLIC PRIMER



HANDLING GUIDELINES

PRE-MIXING

Pre-mixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.

COMPATABILITY

Always jar test first.

Redox products are compatible with other Redox products when following product handling guidelines.

Use caution with reactive materials.

Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

TANK MIXING/INJECTION

Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.

The use of inductor assemblies is encouraged.

Recirculate or agitate while adding material.

ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.

Rinse after use.

REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.